BEST AVAILABLE COPY

KCC 4982.1 (K-C 19,834) PATENT

Listing of Claims

1. (Currently Amended) A topical intment comprising from about 10% by total weight of the ointment to about 89% by total weight of the ointment of an emollient from about 10% by total weight of the ointment to about 50% by total weight of the ointment of a structurant, and from a to 0.1% by total weight of the ointment to about 40% by total wight of the ointment of a rheology enhancer, wherein the rheology enhancer is selected from the group consisting of mineral d and ethylene/propylene/styrene copolymers##ineral oil and butylene/ethylene/styrene copolymers; neral oil and styrene; petrolatum and styrene copolymers; po is sobutylene; mineral oil and-cthylene/propylene/styrene-copolymete-and butylene/ethylene/styrene copolymers; drogenated polyisobutene and butylene/ethylene/styrene copolyment; hydrogenated polyisobutene and ethylene/propylene/ rene copolymers and butylene/ethylene/styrene copolymers; detrolatum and ethylene/propylene/styrene-copolymera dad butylene/ethylene/styrene copolymers; tononyl isononanoate and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; isododecane and ethylene/propylene/styrene copolymers butylene/ethylene/styrene copolymers; ##sohexadecane and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; sopropyl palmitate and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; and combinations thereof.

2. (Previously Presented) The temical ointment as set forth in claim 1 wherein the emollient is present in an amount

of from about 30% by total weight of the ointment to about 80% by total weight of the ointment.

- 3. (Previously Presented) The top cal ointment as set forth in claim 1 wherein the emollient is present in an amount of from about 60% by total weight of the ointment.
- 4. (Previously Presented) The topical ointment as set forth in claim 1 wherein the structurant is present in an amount of from about 20% by total weight of the ointment to about 40% by total weight of the ointment.
- 5. (Previously Presented) The top cal ointment as set forth in claim 1 wherein the rheology enhancer is present in an amount of from about 0.5% by total weight of the ointment to about 30% by total weight of the ointment.
- 6. (Previously Presented) The tent cal ointment as set forth in claim 1 wherein the rheology enhancer is present in an amount of from about 1% by total weight of the ointment to about 25% by total weight of the ointment.
- 7. (Original) The topical ointment as set forth in claim 1 wherein the ointment has a process temperature viscosity of from about 50 cPs to about 50,000 cPs.
- 8. (Original) The topical ointment as set forth in claim 1 wherein the ointment has a process temperature viscosity of from about 75 cPs to about 10,000 cPs.

KCC 4982.1 (K-C 19,834)

- 9. (Original) The topical ointment as set forth in claim 1 wherein the topical ointment has a process temperature viscosity of from about 80 cPs to about 5,000 cPs;
- 10. (Original) The topical ointment as set forth in claim

 1 wherein the ointment further comprises an additional

 ingredient selected from the group consisting of antifoaming

 agents, antimicrobial actives, antivirus actives, antifungal

 actives, antiseptic actives, antioxidants, cosmetic astringents,

 drug astringents, biological additives, colorants, deodorants,

 film formers, fragrances, lubricants, is tural moisturizing

 agents, skin conditioning agents, skir exfoliating agents, skin

 protectants, solvents, hydrophilic surfectants, and UV

 absorbers.
- in claim 1 wherein the emollient is selected from the group consisting of petrolatum, mineral oil, ineral jelly, isoparaffins, vegetable oils, avocado oil, borage oil, canola oil, castor oil, chamomile, coconut oil, corn oil, cottonseed oil, evening primrose oil, safflower oil, sunflower oil, soybean oil, sweet almond, and the like, lanolin, partially hydrogenated vegetable oils, sterols and derivatives polydimethylsiloxanes, methicone, cyclomethicone, dimethicone, dimethicone, trimethicone, organo-siloxanes, silicene elastomer, gums, resins, fatty acid esters, esters of coconic derivatives, fatty acids, and Coconic elastomer, gums, alkyl ethoxylates, derivatives, fatty acid ester ethoxylates, alkyl ethoxylates, derivatives, fatty alcohols, Coconic elastomer, Guerbet alcohols, Guerbet Acids, Guerbet Esters, and combinations thereof.

- 12. (Original) The topical ointment as set forth in claim 1 wherein the structurant has a melting point of from about 45°C to about 85°C.
- (Original) The topical ointment as set forth in claim 1 wherein the structurant is selected to om the group consisting of animal waxes, vegetable waxes, mineral waxes, synthetic waxes, polymers, bayberry wax, beeswax, stearyl dimethicone, stearyl trimethicone, C20-C22 dimethicone, C20-C22 trimethicone, C_{24} - C_{28} dimethicone, C_{20} - C_{22} trimethicone, C_{30} alkyl dimethicone, candelilla wax, carnauba, ceresin, cettl esters, stearyl benzoate, behenyl benzoate, esparto, progenated cottonseed oil, hydrogenated jojoba oil, hydrogenated jojoba wax, hydrogenated microcrystalline wax, hydrogenated rice bran wax, japan wax, jojoba buffer, jojoba este jojoba wax, lanolin wax, microcrystalline wax, mink wax, motan wax, ouricury wax, ozokerite parrafin, PEG#d beeswax, PEG-8 beeswax, rezowax, rice bran wax, shellac wax, spent grain wax, spermaceti wax, synthetic spermaceti wax, synthe to beeswax, synthetic candelilla wax, synthetic carnuba wax synthetic japan wax, synthetic jojoba wax, C_{14} - C_{28} fatty ac ethoxylates and C_{14} - C_{28} fatty ethers, C_{14} - C_{28} fatty alcohols, C_{28} fatty acids, polyethylene, oxidized polyethylene, hylene-alpha olefin copolymers, ethylene homopolymers, C1. 1.5 olefins, poly alpha olefins, hydrogenated vegetable oils, plyhydroxy fatty acid esters, polyhydroxy fatty acid amides thoxylated fatty alcohols and esters of $C_{12}-C_{28}$ fatty action, and $C_{12}-C_{28}$ fatty alcohols, and combinations thereof.
 - 14. (Cancelled).

- 15. (Previously Presented) The topical ointment as set forth in claim 1 further comprising from about 0.1% by total weight of the ointment to about 25% by total weight of the ointment of a particulate material.
- 16. (Previously Presented) The topical ointment as set forth in claim 15 wherein the particular e material is present in an amount of from about 0.1% by total weight of the ointment to about 10% by total weight of the ointment.
- 17. (Original) The topical ointment as set forth in claim 15 wherein the particulate material is selected from the group consisting of talc, mica, titanated mica, iron oxide titanated mica, magnesium carbonate, calcium carbonate, magnesium silicate, spherical silica, hydrated silica, silica beads, titanium dioxide, zinc oxide, nylon power, polyethylene powder, ethylene acrylates copolymer powder, methacrylate powder, polystyrene powder, silk powder, crystalline cellulose, starch, bismuth oxychloride, guanine, kaolin, bentonite, hectorite, laponite, chalk, diatomaceous earth, microsponges, microcapsules, boron nitride, and combinations thereof.
- 18. (Currently Amended) The topical ointment as set forth in claim 15 wherein the particulate material is selected from the group consisting of talc, polyethylene, hydrated silica, kaolin, bentonite, hectorite, laponite, titanium dioxide, titanated mica, microsponges, microcarailes, and mixtures thereof.
- 19. (Previously Presented) The copical ointment as set. forth in claim 1 further comprising from about 0.1% by total.

CC 4982.1 (K-C 19,834)

weight of the ointment to about 10% by total weight of the ointment of a surfactant having an HLB in the range of from about 2 to about 7.

- 20. (Original) The topical ointment as set forth in claim
 19 wherein the surfactant is selected from the group consisting
 of sorbitan monooleate, sorbitan sequipleate, sorbitan
 trioleate, glyceryl stearate, sorbitan stearate, sorbitan
 tristearate, and mixtures thereof.
- 21. (Previously Presented) The topical ointment as set forth in claim 19 further comprising from about 0.1% by total weight of the ointment to about 10% by total weight of the ointment of a hydrophilic skin care active.
- 22. (Currently Amended) The topical ointment as set forth in claim 21 [19] wherein the hydrophilic skin care active is selected from the group consisting of ottanicals, glycerin, hydrogenated starch hydrolysate, propylane glycol, sodium PCA, sodium lactate, sorbitol, and mixtures thereof.
- about 10% by total weight of the ointment to about 89% by total weight of the ointment of an emollient, from about 10% by total weight of the ointment to about 50% by total weight of the ointment to about 50% by total weight of the ointment to about 40% by total weight of the ointment to about 40% by total weight of the ointment of a rheology enhancer, from about 0.1% by total weight of the ointment to about 10% by total weight of the ointment of a particulate material, and from about 0.1% by total weight of the ointment to about 10% by total weight of the ointment of a low

HLB surfactant, wherein the rheology elimencer is selected from the group consisting of mineral oil and ethylene/propylene/styrene copolymers; neral-oil and butylone/ethylene/styrene-copolymers; Wineral oil and styrene; petrolatum and styrene copolymers; polyhobutylene; mineral oil and ethylene/propylene/styrene copelymeth and butylene/ethylene/styrene copolymers, putrogenated polyisobutene and butylene/ethylene/styrene copolyment; hydrogenated polyisobutene and ethylene/propylene/strene copolymers and butylene/ethylene/styrene copolymers; petrolatum and ethylene/propylene/styrene copolymers the butylene/ethylene/styrene-copolymers; pononyl isononanoate and ethylene/propylene/styrene copolymers butylene/ethylene/styrene copolymers; sododecane and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; hisohexadecane and ethylene/propylene/styrene copolymers d butylene/ethylene/styrene copolymers; popropyl palmitate and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; and combinations thereof.

24. (Cancelled).

25. (Currently Amended) The topical ointment as set forth in claim 23 wherein the rheology enhancer is elected from the group consisting of mineral oil and enhancer lene/propylene/styrene copolymers; mineral oil and butylene/styrene copolymers; mineral oil and styrene; personatum and styrene copolymers; polyisobutylene; and comb strions thereof.

26. (Cancelled).

27. (Currently Amended) The topical ointment as set forth in claim 1 wherein the rheology enhancer is selected from the group consisting of mineral oil and ethelene/propylene/styreme copolymers; mineral oil and butylene/ct/ylene/styreme copolymers; mineral oil and styrene; perclatum and styrene copolymers; polyisobutylene; and sombinations thereof.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.